

FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:

FOR ALL MSDS QUESTIONS & REQUESTS, CALL:

1-800-654-6911 (OUTSIDE USA: 1-423-780-2970) 1-800-424-9300 (OUTSIDE USA: 1-703-527-3887) 1-800-511-MSDS (OUTSIDE USA: 1-423-780-2347)

PRODUCT NAME: BAQUACIL Flocculant

1. PRODUCT AND COMPANY IDENTIFICATION

Arch Chemicals, Inc. 501 Merritt 7 PO Box 5204 Norwalk, CT 06856-5204 REVISION DATE: 11/11/2010 SUPERCEDES: 09/27/2010

MSDS Number: SYNONYMS: CHEMICAL FAMILY: DESCRIPTION / USE FORMULA:

10000002187 Aluminum sulfate Not Applicable/Mixture Water Clarifier None established

2. HAZARDS IDENTIFICATION

OSHA Hazard Classification: Skin irritant, Moderate to Severe Eye Irritant, Possible respiratory irritant

Routes of Entry: Chemical Interactions: Medical Conditions Aggravated: Inhalation, skin, eyes, ingestion No known or reported interactions. None known or reported

Human Threshold Response Data

Odor Threshold Not established.

Irritation Threshold Not established.



Hazardous Materials Identification System / National Fire Protection Association Classifications				
Hazard Ratings :	<u>Health</u>	<u>Flammability</u>	Physical / Instability	<u>PPI / Special</u> hazard.
HMIS	2	0	1	<u>nazara.</u>
NFPA	2	0	1	
Immediate (Acute) Health Effect				
Inhalation Toxicity:	respiratory tract.	Any irritation wou	tion to the mucous mem Id be transient with no p o be toxic by inhalation.	
Skin Toxicity:	redness and swe	lling. This irritant	irritation consisting of tra effect would not be expe ed to be toxic from derm	ected to result
Eye Toxicity:	May cause mode and mucous mer	erate to severe irri	tation, consisting of redr to the conjunctiva. No c	ness, swelling,
Ingestion Toxicity:	Ingestion may ca gastrointestinal c	use irritation of th	e gastrointestinal tract a y or all of the following s htly toxic if swallowed.	
Acute Target Organ Toxicity:	May cause skin,	eye and mucous	membrane irritation (inc ause gastrointestinal disc	
Prolonged (Chronic) Health Effects				
Carcinogenicity:	reference source	including IARC, (ted to be carcinogenic b OSHA, NTP or EPA. Ch not to cause cancer in I	emicals of
Reproductive and		own or reported ef	fects on reproductive fu	nction or fetal
Developmental Toxicity:	development.		·	
Inhalation:			fects from chronic expos	
Skin Contact:			fects from chronic expose erienced from acute exp	
Skin Absorption:			fects from chronic expos	
Ingestion	There are no kno	own or reported ef	fects from chronic inges	
			d from single exposure.	
Sensitization:	I his material is n sensitizer.	ot known or repo	rted to be a skin or respi	ratory
Chronic Target Organ Toxicity:		own or reported ta	rget organ effects from o	chronic
Supplemental Health Hazard Information :		alth information av	vailable.	



3. COMPOSITION / INFORMATION ON INGREDIENTS

CAS OR CHEMICAL NAME

<u>CAS #</u>

<u>% RANGE</u>

Aluminum Sulfate

17927-65-0

4. FIRST AID MEASURES

Inhalation:	IF INHALED: Remove individual to fresh air. Seek medical attention if breathing
Skin Contact:	becomes difficult or if respiratory irritation develops. IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing comes in contact with the product, the clothing should be removed immediately
	and laundered before re-use. Seek medical attention.
Eye Contact:	IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention immediately.
Ingestion:	IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Flammability Summary (OSHA):	Product is not known to be flammable, combustible, pyrophoric or explosive.
Flammable Properties Flash Point:	Not applicable
Autoignition Temperature: Fire / Explosion Hazards:	Not applicable Material will not ignite or burn.
Extinguishing Media:	Choose extinguishing media suitable for surrounding materials.
Fire Fighting Instructions:	In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.
Hazardous Combustion Products:	During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.
Upper Flammable / Explosive Limit,	
Lower Flammable / Explosive Limit,	% in air: Not applicable



6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations:	Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus.
Spill Mitigation Procedures	
Air Release:	Hazardous concentrations in air may be found in local spill area and immediately downwind. Contain all solids for treatment or disposal.
Water Release:	This material is soluble in water. Notify all downstream users of possible contamination. Divert water flow around spill if possible and safe to do so.
Land Release:	Sweep up and place in suitable clean, dry containers for reclamation or later disposal. Do not place spill materials back in their original containers. Contain all solids for treatment or disposal.
Additional Spill Information :	Stop source of spill as soon as possible and notify appropriate personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all non- essential personnel. Dispose of spill residues per guidelines under Section 13, Disposal Consideration.

7. HANDLING AND STORAGE

Handling:	Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Avoid inhalation of dust and fumes.
Storage:	Store in a cool, dry and well ventilated place. Store in tightly closed containers to prevent moisture contamination. Avoid creating dusts.
Incompatible Materials for Storage:	strong alkalies water reactive materials

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation:	Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.	
Protective Equipment for Ro	utine Use of Product	
Respiratory Protection :	Wear a NIOSH approved respirator if levels above the exposure limits are possible.	
Respirator Type :	Wear a NIOSH approved N95 respirator.	

BAQUACIL Flocculant REVISION DATE : 11/11/2010



Skin Protection :	Wear impervious glo provided in the imme		ct. A safety shower should be
Eye Protection:		s. Emergency eyewash	should be provided in the
Protective Clothing Type:	Impervious		
Exposure Limit Data			
CHEMICAL NAME No Data Found	<u>CAS #</u>	Name of Limit	Exposure

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Form	solid granules or powder
Color:	white
Odor:	None
Molecular Weight:	No data
Specific Gravity :	No data
pH:	3.3 Aqueous solution
Boiling Point:	117 DĖG°C / 242 DEG°F
Freezing Point:	No data
Melting Point:	105 DEG°C / 221 DEG°F
Density:	<98.0000lb/ft ³
Vapor Pressure:	Not applicable
Vapor Density:	No data
Viscosity:	No data
Fat Solubility:	No data
Solubility in Water:	Soluble
Partition coefficient n-	No data
octanol/water:	
Evaporation Rate:	Not applicable
Oxidizing:	No data
Volatiles, % by vol.:	0.000%
VOC Content	No data
HAP Content	No data

10. STABILITY AND REACTIVITY

Stability and Reactivity Summary:	Stable under normal conditions. Product will not undergo
Conditions to Avoid:	hazardous polymerization. Sparks, open flame, other ignition sources, and elevated
	temperatures., Contact with incompatible substances
Chemical Incompatibility:	alkalis, water reactive materials
Hazardous Decomposition Products:	Thermal oxidative decomposition of aluminum sulfate occurs at temperatures greater than 1400° F (760° C) and can produce sulfur oxides.
BAQUACIL Flocculant	
REVISION DATE : 11/11/2010	Page 5 of 10



Decomposition Temperature: No data

11. TOXICOLOGICAL INFORMATION

Component Animal Tox	kicology		
Oral LD50 value: Aluminum Sulfate	LD50 (anhydrous aluminum sulfate) = 6,207 mg/kg Mouse		
Aluminum Sulfate	LD50 (anhydrous aluminum sulfate) = 1,930 mg/kg Rat		
Component Animal Tox Dermal LD50 value:	<u>kicology</u>		
Aluminum Sulfate	LD50 (anhydrous aluminum sulfate) Believed to be > 2,000 mg/kg Rabbit		
Component Animal Tox	kicology		
Inhalation LC50 value: Aluminum Sulfate	No data		
Product Animal Toxicity	/		
<u>Oral LD50 value</u> : Dermal LD50 value:	LD50 Believed to be > 2,000 mg/kg Rat LD50 Believed to be > 2,000 mg/kg Rabbit		
Inhalation LC50	No data		
<u>value</u> : Skin Irritation:	This material is expected to be moderately irritating.		
Eye Irritation:	This material is expected to be moderately to severely irritating.		
Skin Sensitization:	This material is not known or reported to be a skin or respiratory sensitizer.		
Acute Toxicity:	May cause skin, eye and mucous membrane irritation (includes upper respiratory		
Subchronic / Chronic	tract). May cause lethargy and diarrhea from ingestion. Not known or reported to cause subchronic or chronic toxicity.		
Toxicity:			
Reproductive and	Not known or reported to cause reproductive or developmental toxicity.		
Developmental Toxicity	*		
Mutagenicity:	This product has been tested for mutagenicity. Tests revealed both positive and negative results.		
Carcinogenicity:	This product is not known or reported to be carcinogenic by any reference		
	source including IARC, OSHA, NTP or EPA. Chemicals of similar structure have been shown not to cause cancer in laboratory animals.		

BAQUACIL Flocculant REVISION DATE: 11/11/2010



12. ECOLOGICAL INFORMATION

Overview:

Practically non- toxic to fish and other aquatic organisms.

Ecological Toxicity	/ Values for: Alumin	um	Sulfate
	Largemouth bass	-	96 h $LC50 = 250$ mg/l (anhydrous aluminum sulfate)
Mosquito fish	-	-	96 h LC50 = 235 mg/l (anhydrous aluminum sulfate)

13. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary :	If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.
Disposal Methods :	As a nonhazardous waste, it should be disposed of in accordance with local, state and federal regulations.

Potential US EPA Waste Codes : Not applicable

14. TRANSPORT INFORMATION

Land (US DOT): NOT REGULATED AS A DOT HAZARDOUS MATERIAL Water (IMDG): NOT REGULATED AS A HAZARDOUS MATERIAL,

 Flash Point:
 Not applicable

 Air (IATA):
 NOT REGULATED AS A HAZARDOUS MATERIAL,

 Emergency Response Guide Number:
 Not applicable

BAQUACIL Flocculant REVISION DATE: 11/11/2010



Transportation Notes:

According to TDG (Canadian Transport Regulations), this product is not regulated as a hazardous material.

15. REGULATORY INFORMATION

UNITED STATES:

Toxic Substances Control Act (TSCA):	The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.	
EPA Pesticide Registration Number:	None established	
FIFRA Listing of Pesticide Chemicals (40 CFR 180):	Not registered in the US under FIFRA.	
Superfund Amendments and Reautho	rization Act (SARA) Title III:	
Hazard Categories Sections 311 / 312 (4	0 CFR 370.2):	
Health Imm Physical Non	nediate (Acute) Health Hazard le	
Emergency Planning & Community Right to Know (40 CFR 355, App. A):		
Extremely Hazardous Substance Section ZUS_SAR302 TPQ (threshold plat quantity)	i on 302 - Threshold Planning Quantity: anning None established	
Reportable Quantity (49 CFR 172.101,ZUS_CERCLAReportable quantitZUS_SAR302Reportable quantit	ty None established	
Supplier Notification Requirements (4	0 CFR 372.45), 313 Reportable Components	
ZUS_SAR313 De minimis concer	ntration None established	
Clean Air Act Toxic ARP Section 112r: CAA 112R None es	stablished	
Clean Air Act Socmi: HON SOC None es	stablished	
Clean Air Act VOC Section 111: CAA 111 None established		
Clean Air Act Haz. Air Pollutants Section 112:		
BAQUACIL Flocculant REVISION DATE: 11/11/2010	Page 8 of 10	



ZUS_CAAHAP	None established
ZUS_CAAHRP	None established
CAA AP	None established

State Right-to-Know Regulations Status of Ingredients

Pennsylvania:		
CAS #	COMPONENT NAME	
ZUSPA_RTK None established		

New Jersey:

CAS #	COMPONENT NAME	
ZUSNJ_RTK None established		

Massachusetts:

CAS #	COMPONENT NAME
ZUSMA_RTK None established	

California Proposition 65:	
CAS #	COMPONENT NAME

ZUSCA_P65

None established

:

WHMIS Hazard Classification:

1



D2B: Toxic Material Causing Other Toxic Effects

Skin irritant, Eye irritant

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. None established

:

ŝ



16. OTHER INFORMATION

MSDS REVISION STATUS : SECTIONS REVISED: Major References :

3 Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.