

SAFETY DATA SHEET

1. Product and Company Identification

Product identifier Clear and Perfect

Other means of identification Not available

Recommended use Pool water clarifier **Recommended restrictions** None known.

Manufacturer information

NC Brands
40 Richards Ave.
Norwalk, CT 06854 US
Phone: (800) 753-1233

Emergency Phone: CHEMTREC (800) 424-9300

Supplier See above.

2. Hazards Identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
WHMIS 2015 defined hazards Not classified

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

None known

Disposal Dispose of waste and residues in accordance with local authority requirements.

WHMIS 2015: Health Hazard(s)

not otherwise classified

(HHNOC)

WHMIS 2015: Physical

Hazard(s) not otherwise classified (PHNOC)

Hazard(s) not otherwise

classified (HNOC)

None known

None known.

Supplemental information Not applicable.

3. Composition/Information on Ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Aluminum chlorhydrate		12042-91-0	19
1,2-Ethanediamine, polymer with (chloromethyl)oxirane and N-methylmethanamine		42751-79-1	12
Polydimethyldiallylammonium chloride		26062-79-3	2

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First Aid Measures

InhalationIf symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.Skin contactFlush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.Eye contactFlush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain

medical attention if irritation persists.

#18144 Page: 1 of 7 Issue date 22-December-2016

Ingestion

Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.

Most important symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Wear rubber gloves and safety glasses with side shields. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment/instructions Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

Hazardous combustion products

May include and are not limited to: Hydrogen chloride.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

7. Handling and Storage

Precautions for safe handling

Avoid contact with eyes. Avoid contact with skin. Avoid contact with clothing. Provide adequate ventilation. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

8. Exposure Controls/Personal Protection

Occupational exposure limits

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) Components Value **Type**

Aluminum chlorhydrate (CAS 12042-91-0)

TWA

2 mg/m3

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value	Form	
Aluminum chlorhydrate (CAS 12042-91-0)	TWA	1 mg/m3	Respirable.	

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Туре	Value	Form
Aluminum chlorhydrate	TWA	1 mg/m3	Respirable fraction.
(CAS 12042-91-0)			

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Туре	Value	Form
Aluminum chlorhydrate (CAS 12042-91-0)	TWA	1 mg/m3	Respirable fraction.

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

nts	туре	value
chlorhydrate	TWA	2 mg/m3
·2-91-0)		

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Aluminum chlorhydrate	TWA	1 mg/m3	Respirable fraction.
(CAS 12042-91-0)			

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	
Aluminum chlorhydrate (CAS 12042-91-0)	TWA	2 mg/m3	

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Impervious gloves. Confirm with reputable supplier first.

Other As required by employer code.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants. When using do not eat or drink.

9. Physical and Chemical Properties

Clear **Appearance Physical state** Liquid. **Form** Liquid. Light yellow Color Odorless Odor **Odor threshold** Not available. pН 3 - 4.5 Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Pour point Not available.

Specific gravity 1.05 - 1.1

#18144 Page: 3 of 7 Issue date 22-December-2016

Partition coefficient

(n-octanol/water)

Not available.

Not available. Flash point Not available. **Evaporation rate** Not applicable. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%)

Not available. Vapor pressure Not available. Vapor density 8.7 - 9.2 lb/gal Relative density Miscible Solubility(ies) **Auto-ignition temperature** Not available. Not available. **Decomposition temperature**

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizina.

10. Stability and Reactivity

This product may react with strong oxidizing agents. Reactivity

Not available.

Possibility of hazardous

reactions

Viscosity

No dangerous reaction known under conditions of normal use.

Chemical stability Material is stable under normal conditions.

Do not mix with other chemicals. Conditions to avoid

Incompatible materials

Hazardous decomposition products

May include and are not limited to: Hydrogen chloride.

11. Toxicological Information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Expected to be a low ingestion hazard. May cause stomach distress, nausea or vomiting. Ingestion

No adverse effects due to inhalation are expected. Inhalation Skin contact No adverse effects due to skin contact are expected.

Strong oxidizing agents.

Eye contact Not available. Symptoms related to the Not available.

physical, chemical and toxicological characteristics

Information on toxicological effects

Acute toxicity

Components **Species Test Results**

1,2-Ethanediamine, polymer with (chloromethyl)oxirane and N-methylmethanamine (CAS 42751-79-1)

Acute

Dermal

LD50 Not available

Inhalation

Not available LC50

Oral

LD50 Rat > 2000 mg/kg

#18144 Page: 4 of 7 Issue date 22-December-2016

Test Results Components **Species**

Aluminum chlorhydrate (CAS 12042-91-0)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg, ECHA

> Rat > 2000 mg/kg, 21 Days

> > > 2000 mg/kg, 24 Hours

Inhalation

LC50 Not available

Oral

LD50 Rat > 2000 mg/kg, ECHA, male rat

9187 mg/kg, ECHA, female rat

Polydimethyldiallylammonium chloride (CAS 26062-79-3)

Acute

Dermal

LD50 Not available

Inhalation

LC50 Not available

Oral

Not available LD50

Skin corrosion/irritation Not available. **Exposure minutes** Not available. Not available. Erythema value Not available. Oedema value

Serious eye damage/eye

irritation

Not available.

Not available. Corneal opacity value Iris lesion value Not available. Conjunctival reddening

value

Not available.

Conjunctival oedema value Not available. Recover days Not available.

Respiratory or skin sensitization

Respiratory sensitization Not classified.

Skin sensitization This product is not expected to cause skin sensitization.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. See below.

Canada - Manitoba OELs: carcinogenicity

ALUMINUM METAL AND INSOLUBLE COMPOUNDS, Not classifiable as a human carcinogen.

RESPIRABLE FRACTION (CAS 12042-91-0)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Teratogenicity Not classified. Not classified. Specific target organ toxicity -

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not classified. Chronic effects Not classified.

12. Ecological Information

Ecotoxicity Harmful to aquatic life with long lasting effects.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potentialNo data available.Mobility in soilNo data available.Mobility in generalNot available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport Information

Transport of Dangerous Goods (TDG) Proof of Classification

In accordance with Part 2.2.1 (SOR/2014-152) of the Transportation of Dangerous Goods Regulations, we certify that the classification of this product is correct as of the SDS date of issue.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions

Not applicable

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

No

SARA 311/312 Hazardous

chemical

No

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#18144 Page: 6 of 7 Issue date 22-December-2016

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations

US - California Hazardous Substances (Director's): Listed substance

Aluminum chlorhydrate (CAS 12042-91-0)

US - Minnesota Haz Subs: Listed substance

Aluminum chlorhydrate (CAS 12042-91-0) Listed.

US - Texas Effects Screening Levels: Listed substance

1,2-Ethanediamine, polymer with (chloromethyl)oxirane Listed.

and N-methylmethanamine (CAS 42751-79-1)

Aluminum chlorhydrate (CAS 12042-91-0) Listed. Polydimethyldiallylammonium chloride (CAS 26062-79-3) Listed.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania Worker and Community Right-to-Know Law

Aluminum chlorhydrate (CAS 12042-91-0)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained

in this document.

Issue date 22-December-2016

Version # 01

22-December-2016 **Effective date**

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021 Prepared by

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.